



# Technical Data

## Submersible Pump - ST 07-17

Revision no.

Page:

1

Receiver


From

Company name  
Respons. Department  
Person in charge  
Phone number  
Fax no  
E-mail address



**Brand: Gol Pumps**  
**Model: ST 07-17**  
**Material: Noryl**

### Dimensions:



| Outlet     | Dimensions (inch) |        |      | Weight<br>lb. |
|------------|-------------------|--------|------|---------------|
|            | A                 | B      | C    |               |
| NPT 1 1/4" | 17.9"             | 1 1/4" | 3.9" | 9.9           |

Project

Project ID

Created by

Created on

Last update



# Performance Curves

## Submersible Pump - SP 07-17

Revision no.

Page:


2

Receiver

From

Company name  
Respons. Department  
Person in charge  
Phone number  
Fax no  
E-mail address

| Pump Model | Motor |    | Q Capacity 3500RPM |       |       |       |       |       |     |       |       |
|------------|-------|----|--------------------|-------|-------|-------|-------|-------|-----|-------|-------|
|            |       |    | Gal/Min            | 0     | 4     | 5.3   | 6.6   | 7.9   | 9.2 | 10.6  | 13.2  |
|            | kW    | HP | Head in Feet       | 511.8 | 446.2 | 416.7 | 377.3 | 334.6 | 292 | 246.1 | 137.8 |
| ST 7-17    | 0.75  | 1  |                    |       |       |       |       |       |     |       |       |



Project

Project ID

Created by

Created on

Last update



## Part List and Materials Submersible Pump - SP 07-17

Revision no.


Page:

3

Receiver

From

Company name  
Respons. Department  
Person in charge  
Phone number  
Fax no  
E-mail address



| No. | Part Name                  | Materials                  |
|-----|----------------------------|----------------------------|
| 1   | Discharge Head             | AISI 304                   |
| 4   | Check Valve Cone           | AISI 304                   |
| 6   | Check Valve Retaining Ring | AISI 304                   |
| 8   | Bearing Spider             | Glass Filled Polycarbonate |
| 12  | Diffuser                   | Glass Filled Polycarbonate |
| 13  | Bowl                       | AISI 304                   |
| 18  | Impeller                   | Noryl                      |
| 34  | Strainer                   | AISI 304                   |
| 40  | Pump Shaft / Coupling      | AISI 304                   |
| 42  | Shaft Sleeve               | AISI 304 or Norly          |
| 48  | Pump Casing                | AISI 304                   |
| 52  | Cable Guard                | AISI 304                   |
| 86  | O-Ring                     | NBR                        |
| 92  | Bearing                    | Polyacetal                 |

Project

Project ID

Created by

Created on

Last update