



GOL PUMPS
Technology Inc.



EXPANSION AND PRESSURE TANKS



SPARE PARTS






Spare membranes



Tank capacity (gallons)	Tank model			
	INTERVAREM LS MAXIVAREM LS PLUSVAREM INOXVAREM	MAXIVAREM LR	SOLARVAREM	IDROVAREM MAXIVAREM LC
	Item	Item	Item	Item
1.3	MB008S2P00000000		MB008S6S00000000	
2.1	MB008S2P00000000		MB008S6S00000000	
3.2	MB012S2P00000000		MB012S6S00000000	
5			MB019S6S00000000	
5.3	MB019S2P00000000			
6.3	MB019S2P00000000			
6.6	MB019S2P00000000		MB019S6S00000000	
10.6	MB040S2P00000000		MB040S6S00000000	
13.2	MB060S2P00000000			
16	MB060S2P00000000	MB060S4H00000000	MB060S6S00000000	MB060S8P00000000
21.1		MB060S4H00000000	MB080S6S00000000	MB080S8P00000000
26.4			MB080S6S00000000	MB080S8P00000000
39.6	MB150F2P00000000			
52.8	MB200F2P00000000		MB200S6S00000000	
66		MB200S4H00000000		
79.3	MB300F2P00000000	MB200S4H00000000	MB300S6S00000000	
105.7		MB300S4H00000000		
132	MB500F2P00000000	MB500S4H00000000	MB500S6S00000000	
185		MB500S4H00000000		

The membranes are made on synthetic rubber.
 The membranes for water booster systems are potable water-proof certified.
 The membranes for Solarvarem can resist up to 130° for short periods with solutions of water and glycol.

SPARE PARTS

	MODEL	TANK MODEL (gallons)	CONNECTOR	GALVANIZED STEEL	COATED STEEL	STAINLESS STEEL AISI 304
Coverflange		1.3 - 3.2	3/4"			SPCFL512S4700000
		5 - 26.4	1"	SPCFL191ZN700000		SPCFL191S4700000
		39.6 - 52.8 - 79.3	1 1/2"	SPCFL230ZN4S0000		SPCFL230S4S00000
		132 - 198	1 1/2"		SPCFL575VE400000	
Flange disk		132 - 198	1/2"			SPCFL575S4S00000

Gol Pumps Technology

www.golpumps.com

Our Address: 6520 NW 77th CT, Miami FL 33166, USA

Sales DPT: +1 786 615 8984

After Sales Service: +1 786 452 9775

Fax: +1 786 615 7043

Email: info@golpumps.com

